


FLOOR DOOR

| Side B | Side C | Side D | VERSION | H LIGHT | H FRAME | WINDOW | GLASS | ACCESSORIES | C1 | C2 | PM | PE |
|--------|--------|--------|---------------------|---------|---------|--------|-------|-------------|----|----|----|----|
| | | 1 3 | Standard Rust-proof | 2000 | 2100 | Absent | | | | X | | |
| | 2 | | Standard Rust-proof | 2000 | 2100 | Absent | | | | X | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

C1 = Enabling key for the floor button pad (single insertion) C2 = Enabling key for the floor button pad (double insertion) PM = Button pad on the wall PE = Outside lock and button pad



Pavimento a carico Cliente: Dim. **1330 (L) x 1080 (P)** Spes. **15 mm** Peso: **50 Kg**
(EN)

Stops: 3 - Doors: 3

Shaft on **Masonry (Muratura)**

| VERSIONS | Description | Designer | Date |
|--|---|--------------|------------|
| | Corsa; Fossa; Distanza locale macchine. | L.Del Bianco | 15/06/2010 |
| Disposizione accessi; Cernieratura; Finestratura assente; Cielino; | L.Del Bianco | 15/06/2010 | |


Final Drawing



SHEET
1/2
SHEET DIMENS.
A3
SCALE
1:12.5



| | |
|---|------------------------------------|
| Disegno Preliminare D.Ogliastro | 1° STESURA 18/12/09 |
| CAPACITY 350 Kg | AREA m ² 1,37 |



ACCESSORI:

- Chiave abilitazione pulsantiera cabina a doppia estrazione
- Guide in barre da 2,5 m
- Pompa a mano
- Pressostato con segnalazione di sovraccarico
- Doppia velocità
- Manovra Automatica
- Interruttore blocco porta quadro
- Arcata rinforzata
- Fotocellula tutta parete

Indirect Installation Speed 0,3 m/s 15/06/10 08.22 (V.2204)

THRUST DURING NORMAL OPERATION THRUST OF SAFETY DEVICE INTERVENT.

| | | | | | |
|----|-----|-------|----|-----|------|
| P | (N) | 10637 | P | (N) | 599 |
| N | (N) | 787 | N | (N) | 7280 |
| F1 | (N) | 1543 | F1 | (N) | 2571 |
| F2 | (N) | 368 | F2 | (N) | 613 |

SPACES PRESSURES

| | | | | |
|--------|---------------------------|-----|---------------------------|-------|
| E.I. | Extrarun below cabin (mm) | 20 | Max static pressure (bar) | 35,58 |
| E.S. | Extrarun above cabin (mm) | 100 | Min static pressure (bar) | 17,74 |
| SF. | Piston extraction (mm) | 93 | Overpressure limit (bar) | 49,81 |
| S.S.P. | Piston/head (mm) | 195 | Residual pressure (bar) | 1,56 |
| S.S.C. | Cabin/head (mm) | 300 | | |

HYDRAULIC UNIT MECHANICAL PARTS

| | | | |
|-----------------------|-----------------------------|------------------------------|----------------|
| Central unit | Start 96SLE | Runners | T70-2A |
| Capacity (l/min) | 35 | Brackets (Nr) | 6 |
| Motor (V) | MF220V | Cables | 9 mm 6-(1+9+9) |
| Power (Kw) | 3 | Cables lenght (mm) 2 x | 11300 |
| Piston | Start Elevator(ø) 70x5x3250 | Min actual breaking load (N) | 42100 |
| Opt. oil position | basso | | |
| Tubing | Start | | |
| Tubing lenght (mm) | 7000 | | |
| Min hydraulic oil (L) | -- | | |

SECURITY DEVICES Manufacturer Model Certificate

| | | | |
|-------------|--------|-----------------------|----------------|
| Safety Gear | PFB | BP1 | TÜV AFV515 |
| Block Valve | Start | 1/2"03026/01;03026/02 | IMQ CA50.00526 |
| Key Locks | TIEFFE | TIEFFE2000 | IMQ I0110 |

MACHINERY LOCATION


| | | | |
|-----------------------------|---|----------------------|------|
| At floor | 1 | Away from shaft (mm) | 3000 |
| Cables enter in shaft: Side | A | | |

CABIN CABIN ACCESSORIES

| | | | |
|-------------|-------------------|----------|-------------------|
| Panels | Bianco A1 | ½ Mirror | Lati B |
| Finishes | Inox Scotch Brite | Handrail | ALLUMINIO, Lati B |
| Oper. panel | VERTICAL | | |
| Floor | a carico Cliente | | |
| Roof | FARETTI-Bianco A1 | | |

OTHER ACCESSORIES

- Enabling key for the cabin button pad, double insertion
- Guides dimension 2.5 m
- Manual pump
- Manostat with overweight signal
- Double speed
- Automatic control
- Cabinet General switcher to enabling controller
- Reinforced arcade
- Full height infra-red curtain



L'approvazione del presente disegno vale anche come avvenuta consegna del manuale opere murarie rev.3.



Disegno Preliminare
D.Ogliastro 1° STESURA
18/12/09

Final Drawing

SCALE SHEET
OUT OF SCALE 2/2