


FLOOR DOOR

Side B	Side C	Side D	VERSION	H LIGHT	H FRAME	WINDOW	GLASS	ACCESSORIES	C1	C2	PM	PE
1			Standard RAL 9023	2000	2100	Absent				X		
2			Standard S.S. covering Scotch Brite	2000	2100	Panoramic	Transparent			X		
3			Standard S.S. covering Scotch Brite	2000	2100	Panoramic	Transparent			X		

C1 = Enabling key for the floor button pad (single insertion) C2 = Enabling key for the floor button pad (double insertion) PM = Button pad on the wall PE = Outside lock and button pad

Automatic Control
2008



Stops: 3 - Doors: 3


Shaft in **Masonry (Muratura)**

Customer own flooring: Dimensions **1430 (L) x 1100 (P)** thks **15 mm** Weight: **50 kg**

VERSIONS	Description	Designer	Date	Final Design Drawings
	Corsa; Testata.	L.Del Bianco	09/11/2011	
Varie sostanziali modifiche.	L.Del Bianco	25/10/2011		
	Final Design Drawings D.Ogliastro	1° STESURA 28/04/11	CAPACITY 350 kg AREA m ² 1,54	CAPACITY


ACCESSORI:

- Chiave abilitazione pulsantiera cabina a doppia estrazione
- Guide in barre da 2,5 m
- Pompa a mano
- Pressostato con segnalazione di sovraccarico
- Doppia velocità
- Interruttore blocco porta quadro
- Arcata rinforzata
- Maniglie CASPIM
- Fotocellula tutta parete
- Manovra Automatica 2008



Indirect Installation Speed 0,3 m/s 09/11/11 09.30 (V.2504)

THRUST DURING NORMAL OPERATION			THRUST OF SAFETY DEVICE INTERVENT.		
P	(N)	12370	P	(N)	599
N	(N)	780	N	(N)	8428
F1	(N)	1832	F1	(N)	3054
F2	(N)	434	F2	(N)	723



MACHINERY LOCATION			
At floor	1	Length of the hose travel	2000 (mm)
Cables enter in shaft: Side	A		

CABIN		CABIN ACCESSORIES	
Panels	Inox Scotch Brite	Mirror	Lati D
Finishes	Inox BA (Lucido)	Panoramic	Lati C
Oper. panel	VERTICAL	Handrail	INOX S.B., Lati C
Floor	By Customer	Riv. Est.	Side C
Roof	UNIVERSAL - Inox Scotch Brite	Riv. Esterno	Inox Scotch Brite

- OTHER ACCESSORIES**
- Enabling key for the cabin button pad, double insertion
 - Guides dimension 2.5 m
 - Manual pump
 - Manostat with overweight signal
 - Double speed
 - Cabinet General switcher to enabling controller
 - Reinforced arcade
 - Handles CASPIM
 - Full height infra-red curtain
 - Automatic control 2008

The approval of this plan serves also as confirmation of delivery of the masonry manual rev.3.

		Disegno Preliminare	1° STESURA
		D. Ogliastrò	28/04/11
	Disegno Preliminare		
		SCALE	SHEET
		OUT OF SCALE	2/2