



8 great reasons to choose Lift Shop

01

CERTAINTY

A showroom visit lets you experience the lift before you own it.

Showroom visits are essential to help you learn and experience the proposed lift system.

Informed and educated purchasers usually select the best.

Research your options carefully.

Our showrooms are incredible learning environments

02

THE SAFEST LIFTS

In-cabin self-rescue feature is a standard inclusion.

24/7 call centre assistance.

AS1735 code compliant.

Full height infra-red light ray curtains.

Automatic lower and unlocks in the event of a power failure.

Proven reliability.

Proven technology.

03

THE LEADER FOR TECHNOLOGY

2 speed drives for maximum speed with smooth acceleration.

Computer monitoring of the latest lift operations for efficient diagnosis and repair.

Sized to suit, and styled to suit, has always been the Lift Shop advantage and the big difference from others.

04

THE PROCESS

We are not like the others.

Our designers assist to create the right lift, personalised to your requirements.

After your order is agreed, the construction support, site managers and installation teams will ship your Italian made lift to site and install it.

Our 140+ full time and experienced employees are installing more than 1200 new lifts a year. The service department provides 24/7 support after that.

At Lift Shop you are supported from the start onwards. Its more than just a lift, it's a winning process.

05

UNBEATABLE VALUE

Our formula

Lifts – proven long history, stable and secure manufacturer, ultra-reliable premium quality.

Volumes – Lift Shop sells more lifts than any other Australian home lift specialist.

Costs – Annual costs shared by 5 offices, 700+ new lift clients, and thousands of routine service clients.

We do not have hidden extras.

Experience + efficiency + scale = Great Value

06

A GENUINELY GREAT REPUTATION

Check Google Reviews and sites like productreview.com.au

100's of genuine, original testimonials from real clients can be read in our showroom's.

Independent awards and recognition.

We do not offer marketing testimonials.

Dealing with Lift Shop is fun and easy.

07

LOW SERVICE COSTS

Lift Shop only services and maintains its own quality lifts with full technical support and spares in Australia.

Other companies lifts distract from the attention good clients deserve.

We focus on you, with service plans tailored to your needs.

The large service team maintains 1000's of lifts.

See the mapping interface online for the service clients near you.

08

THE NO.1 HOME LIFT SPECIALIST

We are Australia's largest and best.

Lift Shop is a genuine full-service lift company with a range of premium proven home lifts.

We are the undisputed leader in Italian elevators.

We speak English, not jargon.

Our documents and quotes are clear and easy to understand.



Why It's Great

- Superior design & performance
- Hydraulic drive
- Custom or pre engineered to meet your budget
- A full size lift designed to fit small spaces
- Italy's very best
- Personalised for you
- Short lead times









Free Inclusions

- MUST HAVE In-Cabin Self Rescue (\$1,380)
- Free storage one month (\$970)
- Material transport from storage to site (\$990)
- 2100mm cabin ceiling height (\$1,500)
- Integrated Flush Phone (\$750)




Specifications

| Capacity: | 4 - 5 persons 400kg |
|------------------|--|
| Speed: | Fast (0.30m/s) Approx 18 seconds for 3 floors |
| Power: | Single phase 240V, 32A Low energy consumption |
| Max travel: | 6 floors 12m |
| Openings: | Single (1), opposite (2), adjacent (2) |
| Drive | Hydraulic |
| Headroom: | 2500 - 2800mm |
| Pit depth: | 150 – 180mm |
| Compliance: | AS1735.1 and NCC E3.6 |
| In-cabin rescue: | Included |

shafts by builder - designed to fit your space

single opening - side drive




Cabin Width
Cabin Depth
Internal Shaft Width
Internal Shaft Depth

| POPULAR HYDRAULIC SIZES | | | | | | | |
|-------------------------|------|------|------|------|------|------|--|
| 800 | 1000 | 1000 | 1000 | 1200 | 1200 | 1100 | |
| 1000 | 1000 | 1200 | 1300 | 1200 | 1300 | 1400 | |
| 1150 | 1350 | 1350 | 1350 | 1550 | 1550 | 1550 | |
| 1320 | 1320 | 1520 | 1620 | 1520 | 1620 | 1720 | |

CUSTOM SIZE - HYDRAULIC FORMULA

1120mm Cabin Width + 350 = 1470mm Shaft Width 1130mm Cabin Depth + 320 = 1450mm Shaft Depth

single opening - rear drive



Cabin Width
Cabin Depth
Internal Shaft Width
Internal Shaft Depth

| POPULAR HYDRAULIC SIZES | | | | | | * |
|-------------------------|------|------|------|------|------|------|
| 800 | 1000 | 1000 | 1000 | 1200 | 1200 | 1400 |
| 1000 | 1000 | 1200 | 1300 | 1200 | 1300 | 1100 |
| 960 | 1160 | 1160 | 1160 | 1360 | 1360 | 1560 |
| 1500 | 1500 | 1700 | 1800 | 1700 | 1800 | 1600 |

CUSTOM SIZE - HYDRAULIC FORMULA

1130mm Cabin Width + 160 = 1290mm Shaft Width 1120mm Cabin Depth + 500 = 1620mm Shaft Depth

All shaft widths and depths may be affected by door sizes (including 2 or 3 pieces) / type and / or subject to factory confirmation All dimensions are in mm

Note maximum possible cabin area is 1.60m²


Shaft dimensions are internal sizes

Flush car operating panels affects cabin / shaft dimensions

Door opening sizes affected by shaft sizes

- * 1100mm (w) x 1400mm (d) required for compliant limited mobility access
- * Some popular sizes are pre-engineered for short lead times and lower prices

opposite opening




Cabin Width
Cabin Depth
Internal Shaft Width
Internal Shaft Depth

| POPULAR HYDRAULIC SIZES | | | | | | |
|-------------------------|------|------|------|------|------|------|
| 800 | 1000 | 1000 | 1000 | 1200 | 1200 | 1100 |
| 1000 | 1000 | 1200 | 1300 | 1200 | 1300 | 1400 |
| 1150 | 1350 | 1350 | 1350 | 1550 | 1550 | 1550 |
| 1430 | 1430 | 1630 | 1730 | 1630 | 1730 | 1830 |

CUSTOM SIZE - HYDRAULIC FORMULA

1120mm Cabin Width + 350 = 1470mm Shaft Width 1130mm Cabin Depth + 430 = 1560mm Shaft Depth

adjacent opening



Cabin Width
Cabin Depth
Internal Shaft Width
Internal Shaft Depth


| POPULAR HYDRAULIC SIZES | | | | | | | |
|-------------------------|------|------|------|------|------|------|--|
| 800 | 1000 | 1000 | 1000 | 1200 | 1200 | 1100 | |
| 1000 | 1000 | 1200 | 1300 | 1200 | 1300 | 1400 | |
| 1300 | 1500 | 1500 | 1500 | 1700 | 1700 | 1650 | |
| 1320 | 1320 | 1520 | 1620 | 1520 | 1620 | 1720 | |

CUSTOM SIZE - HYDRAULIC FORMULA

1120mm Cabin Width + 500 = 1620mm Shaft Width 1130mm Cabin Depth + 320 = 1450mm Shaft Depth

shafts by Lift Shop - designed to fit your space

single opening - side drive




Cabin Width
Cabin Depth
External Shaft Width
External Shaft Depth

| POPULAR HYDRAULIC SIZES | | | | | | | |
|-------------------------|------|------|------|------|------|------|--|
| 800 | 1000 | 1000 | 1000 | 1200 | 1200 | 1100 | |
| 1000 | 1000 | 1200 | 1300 | 1200 | 1300 | 1400 | |
| 1250 | 1450 | 1450 | 1450 | 1650 | 1650 | 1650 | |
| 1420 | 1420 | 1620 | 1720 | 1620 | 1720 | 1820 | |

CUSTOM SIZE - HYDRAULIC FORMULA

1120mm Cabin Width + 450 = 1570mm Shaft Width 1130mm Cabin Depth + 420 = 1550mm Shaft Depth

single opening - rear drive



Cabin Width
Cabin Depth
External Shaft Width
External Shaft Depth

| POPULAR HYDRAULIC SIZES | | | | | | |
|-------------------------|------|------|------|------|------|------|
| 800 | 1000 | 1000 | 1000 | 1200 | 1200 | 1400 |
| 1000 | 1000 | 1200 | 1300 | 1200 | 1300 | 1100 |
| 1060 | 1260 | 1260 | 1260 | 1460 | 1460 | 1660 |
| 1620 | 1620 | 1820 | 1920 | 1820 | 1920 | 1720 |

CUSTOM SIZE - HYDRAULIC FORMULA

1130mm Cabin Width + 260 = 1390mm Shaft Width 1120mm Cabin Depth + 620 = 1740mm Shaft Depth

All shaft widths and depths may be affected by door sizes (including 2 or 3 pieces) / type and / or subject to factory confirmation All dimensions are in mm


Note maximum possible cabin area is 1.60m²

Flush car operating panels may affect cabin / shaft dimensions

Some popular sizes are pre-engineered for short lead times and lower prices

- * Shaft dimensions are external sizes (Please allow +50mm to width and depth dimensions for space provided)
- * 1100mm (w) x 1400mm (d) required for compliant limited mobility access

opposite opening




Cabin Width
Cabin Depth
External Shaft Width
External Shaft Depth

| POPULAR HYDRAULIC SIZES | | | | | | |
|-------------------------|------|------|------|------|------|------|
| 800 | 1000 | 1000 | 1000 | 1200 | 1200 | 1100 |
| 1000 | 1000 | 1200 | 1300 | 1200 | 1300 | 1400 |
| 1250 | 1450 | 1450 | 1450 | 1650 | 1650 | 1650 |
| 1530 | 1530 | 1730 | 1830 | 1730 | 1830 | 1930 |

CUSTOM SIZE - HYDRAULIC FORMULA

1120mm Cabin Width + 450 = 1570mm Shaft Width 1130mm Cabin Depth + 530 = 1660mm Shaft Depth

adjacent opening



Cabin Width
Cabin Depth
External Shaft Width
External Shaft Depth

| POPULAR HYDRAULIC SIZES | | | | | | |
|-------------------------|------|------|------|------|------|------|
| 800 | 1000 | 1000 | 1000 | 1200 | 1200 | 1100 |
| 1000 | 1000 | 1200 | 1300 | 1200 | 1300 | 1400 |
| 1400 | 1600 | 1600 | 1600 | 1800 | 1800 | 1750 |
| 1420 | 1420 | 1620 | 1720 | 1620 | 1720 | 1820 |

CUSTOM SIZE - HYDRAULIC FORMULA

1120mm Cabin Width + 600 = 1720mm Shaft Width 1130mm Cabin Depth + 420 = 1550mm Shaft Depth





types



Side Opening



Framed Glass



Centre Opening



Frameless



3 Piece



Diamond

finishes

Steel

Primed (rust proof)

Skinplate

Galvanised

Framed glass

Frameless glass

Stainless steel

Laminate

RAL (powdercoated)

European colour of choice Fire rated 2 hours

A316 stainless steel


hotel style steel and glass shafts




Pre engineered shafts for internal and external applications are designed to be carried onto site through regular door openings.

The structural steel can be RAL powdercoated or merely galvanised for cladding by others.

Stainless steel is also available, discuss with your designer.



Cross Bracing



Ring Beams



Brackets


shaft cladding / structure / walls / doors



Transparent



Etched Neutral



Milky White



Fume Smoked



Pure White



Pub Nero Black



Stop-Sol Bronze Reflective



Stop-Sol Grey Reflective



Mirror Silver / Smoked / Bronze



Brushed Stainless Steel



Polished Stainless Steel



Galvanised + RAL Powdercoated





Italian Skinplate Finishes



F12PPS Similinox



PPS11 Avorio



DL36A Dark Wood




F41PPS Stainless Look



N3S Matt Black



DL8A Whitewash Timber



A490PP Matte White




N4SA Charcoal



DT29 Beige




Premium Italian Finishes





2619

2618



Vinyl Collection



131 - 081 Private Black



121 - 056 Foggy Blue



0082 **Broken Grey**

Stone Collection




2400



607 Polar Ice




Black Star



616 Perla Bianca








Dotted Rubber

Black

158

Tabac Grey

Custom




Dove Tail



ceilings handrails


Energy Efficient LEDs




Line



Labirint



Starry Sky



Regular



LED Spotlights



Custom Design Your Own



Aluminium



Brushed Stainless Steel



Polished Stainless Steel

car operating panels and accessories

Models



Vertical



Silver



Key Switch



Machine cabinet 700mm x 560mmm x 1535mm F12PPS skinplate



Blue Display



Security Keypad



GSM phone NBN ready emergency system

Flush mounted phones



Finishes

- Skinplate (n/a flush)
- Galvanized
- Stainless Steel (brushed or polished)
- **RAL Powdercoated**



SYDNEY

1/75 Corish Circle Eastgardens NSW 2036 02 9666 3939

MELBOURNE

1/1 Belgium Ave Richmond VIC 3121 03 9421 4222

BRISBANE

4/300 Cullen Ave E Eaglefarm QLD 4009 07 3014 0633

CANBERRA

1/8 Beaconsfield St Fyshwick ACT 2609 02 9666 3939

PERTH

15/75 Robinson Ave Belmont WA 6104 08 9460 0666

CALIFORNIA

10940 Kalama River Ave Fountain Valley CA 92708 01 855 326 8847

Disclaimer

All illustrations, information and specifications presented and referred to in this brochure were correct at the time when this brochure was approved for printing. The colour in the photographs may vary from actual colours, however **Lift**Shop Pty Ltd reserves the right, subject to laws of Australia and/or the regulations of any competent authority which may apply from time to time, at its discretion at anytime and without prior notice to discontinue or change the models, features, specifications, designs and prices of the products referred to in this brochure and any optional equipment therefore without incurring any liability whatsoever to any purchaser of any such products.